

2663

DOCKET NO. BA0390 (NORT10-00259)
Customer No. 33000

PATENT

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

In re application of: : HAMAYUN MUJEEB, ET AL.
Serial No. : 09/374,460
Filed : August 13, 1999
For : SWITCHING DEVICE INTERFACES
Group No. : 2663
Examiner : N.Q. Do

RECEIVED

AUG 14 2003

Technology Center 2600

MAIL STOP NON-FEE AMENDMENT

Commissioner for Patents
P.O. Box 1450
Alexandria, VA 22313-1450

Sir:

CERTIFICATE OF MAILING BY FIRST CLASS MAIL

The undersigned hereby certifies that the following documents:

1. Amendment and Response to Office Action; and
2. Postcard Receipt

relating to the above application, were deposited as "First Class Mail" with the United States Postal Service, addressed to: MAIL STOP NON-FEE AMENDMENT, Commissioner for Patents, P.O. Box 1450, Alexandria, VA 22313-1450, on August 6, 2003.


Date: 8/6/03

Kathy Cedar
Mailer

Date: 8/6/2003

Robert D. McCutcheon
Robert D. McCutcheon
Reg. No. 38,717

P.O. Drawer 800889
Dallas, Texas 75380
Phone: (972) 628-3600
Fax: (972) 628-3616
E-mail: rmccutcheon@davismunck.com



DOCKET NO. BA0390 (NORT10-00259)
Customer No. 33000

PATENT

B/9
10/3/03
D.

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

In re application of: : HAMAYUN MUJEEB, ET AL.

Serial No. : 09/374,460

Filed : August 13, 1999

For : SWITCHING DEVICE INTERFACES

Group No. : 2663

Examiner : N.Q. Do

RECEIVED

AUG 14 2003

Technology Center 2600

MAIL STOP NON-FEE AMENDMENT

Commissioner for Patents
P.O. Box 1450
Alexandria, VA 22313-1450

Sir:

AMENDMENT AND RESPONSE TO OFFICE ACTION

No fees are believed to be necessary; however, in the event that any fees are required for the prosecution of this application, please charge any necessary fees to Deposit Account No. 50-0208.

No extension of time is believed to be necessary. If, however, an extension of time is needed, the extension is requested and please charge the fee for this extension to Deposit Account No. 50-0208.

In response to the Office Action having a mailing date of May 6, 2003, please amend the above-identified application as follows: